主な業績（First or second author のみ）

1 **Ishii N,** Shiratori Y, Omata F. Helicobacter pylori, Homologous-Recombination Genes, and Gastric Cancer. N Engl J Med. 2023 Jul 27;389(4):379.

2 Shiratori Y, **Ishii N,** Kalloo A. Screening for Helicobacter pylori to Prevent Gastric Cancer. JAMA. 2025 Mar 4;333(9):812.

3 **Ishii N,** Yano T, Shiratori Y, Omata F. Pitfalls of Advanced Endoscopy Technologies in Gastrointestinal Cancer Screening. Am J Gastroenterol. 2023 Feb 1;118(2):371-372.

4 **Ishii N,** Imamura N. Advancements in endoscopic therapy for colonic diverticular bleeding and tips from public health viewpoints. Dig Endosc. 2024 Dec;36(12):1367-1368.

5 **Ishii N,** Shiratori Y, Ishikane M, Omata F. Population effectiveness of endoscopy screening for mortality reduction in gastric cancer. DEN Open. 2023 Sep 19;4(1):e296.

6 **Ishii N,** Shiratori Y, Yano T, et al. Reevaluation of Gastric Cancer Screening by Levin's Equation. Clin Transl Gastroenterol. 2022 Oct 1;13(10):e00530.

7 **Ishii N,** Nagata N, Kaise M, et al Outcomes in high and low volume hospitals in patients with acute hematochezia in a cohort study. Sci Rep. 2021 Oct 13;11(1):20373.

8 Shiratori Y, **Ishii N,** Kalloo A. Translating Population-Based Evidence on Helicobacterpylori Eradication Into Precision Surveillance Strategies. *Gastroenterology*. 2026;170(2):425-426.

9 Shiratori Y, **Ishii N,** Kalloo A. Colorectal cancer screening from the standpoint of sequential versus simultaneous approaches: insights from the Danish national screening program. *Gastrointest Endosc*. 2025;102(3):436-437.

10 Narimatsu K, **Ishii N,** Yamada A, et al. Impact of long-term trends on outcomes in the management of colonic diverticular bleeding: mediation analyses in a large multicenter study. J Gastroenterol. 2025 Feb;60(2):174-186.

11 Shiratori Y, **Ishii N,** Kalloo A. Active vs Passive Screening for Colorectal Cancer: Insights From the National Colonoscopy Study. Am J Gastroenterol. 2025 Feb 1;120(2):484.

12 Shiratori Y, **Ishii N,** Kalloo A. The Role of Age in Predictive Models for Colorectal Cancer Risk: Insights From a Community-Based Real-World Study. Am J Gastroenterol. 2024 Nov 15. doi: 10.14309/ajg.0000000000003156.

13 Shiratori Y, **Ishii N,** Kalloo A. Dissecting Geographical and Racial Disparities in H. pylori Infection Rates: Screening and Eradication Strategies in the U.S. Clin Gastroenterol Hepatol. 2024 Nov;22(11):2347-2348.

14 Shiratori Y, **Ishii N,** Kalloo A. Disparities in Gastric Cancer Screening: A Comparative Analysis of Japan and South Korea. Gastroenterology. 2024 Sep;167(4):815-816.

15 Shiratori Y, **Ishii N,** Kalloo A. Metachronous Gastric Cancer Outcomes After Helicobacter pylori Therapy and Endoscopic Dysplasia Resection: Insights From a Global Real-World Study. Gastroenterology. 2024 Jul;167(2):415-416.

16 Shiratori Y, **Ishii N,** Fukuda K. Interpreting colonoscopy timing in patients with colonic diverticular bleeding. Dig Endosc. 2023 Nov;35(7):929.
17 Yamauchi A, **Ishii N,** Yamada A, et al. Outcomes and recurrent bleeding risks of detachable snare and band ligation for colonic diverticular bleeding: a multicenter retrospective cohort study. Gastrointest Endosc. 2023 Jul;98(1):59-72.e7.
18 Tanabe M, **Ishii N,** Inagaki D. Stent Placement Using a Combination of Decompression Tube and Colonoscopy for Malignant Ileocolonic Obstruction. Gastro Hep Adv. 2023 Apr 15;2(6):761-762.
19 Shiratori Y, **Ishii N,** Nagata N, et al. Timing of colonoscopy in acute lower GI bleeding: a multicenter retrospective cohort study. Gastrointest Endosc. 2022 Aug 2:S0016-5107(22)01863-6. doi: 10.1016/j.gie.2022.07.025.
20 Jinushi R, **Ishii N,** Yano T, Imamura N, Maekawa H, Kamachi K. Endoscopic balloon dilation for the prevention of severe strictures caused by acute esophageal necrosis. DEN Open. 2021 Sep 1;2(1):e43.
21 Jinushi R, **Ishii N,** Fukuyama K. Gastric Subserosal Abscess Caused by Ventriculoperitoneal Shunt Infection. Am J Gastroenterol. 2022 Feb 1;117(2):216.
22 Shiratori Y, **Ishii N,** Ikeya T, Takagi K, Nakamura K, Fukuda K. Performance Status Is a Predictive Factor of Improvement after Colonic Stenting in Patients with Malignant Stenosis due to Extraparenteral Malignant Tumors. Gastroenterol Res Pract. 2020 Jun 27;2020:5931341.
23 Shiratori Y, **Ishii N,** Ikeya T, Takagi K, Nakamura K, Fukuda K. Performance status is a predictive factor of dysphagia improvement after esophageal stenting in patients with malignant esophageal strictures and fistulas. Surg Endosc. 2020 Feb;34(2):564-568.
24 Sugimura K, **Ishii N.** Esophageal Hematoma Mimicking a Large Esophageal Polyp: A Diagnostic Clue of Acquired Hemophilia A. Mayo Clin Proc. 2019 Oct;94(10):2142-2143.
25 Honda H, **Ishii N,** Takasu A, Shiratori Y, Omata F. Risk factors of early rebleeding in the endoscopic management of colonic diverticular bleeding. J Gastroenterol Hepatol. 2019 Oct;34(10):1784-1792.
26 Nagata N, **Ishii N,** Manabe N, Tomizawa K, Urita Y, Funabiki T, Fujimori S, Kaise M. Guidelines for Colonic Diverticular Bleeding and Colonic Diverticulitis: Japan Gastroenterological Association. Digestion. 2019;99 Suppl 1:1-26.
27 Nagata N, **Ishii N,** Kaise M, Shimbo T, Sakurai T, Akiyama J, Uemura N. Long-term recurrent bleeding risk after endoscopic therapy for definitive colonic diverticular bleeding: band ligation versus clipping. Gastrointest Endosc. 2018 Nov;88(5):841-853.e4.
28 **Ishii N,** Omata F, Nagata N, Kaise M. Effectiveness of endoscopic treatments for colonic diverticular bleeding. Gastrointest Endosc. 2018 Jan;87(1):58-66. doi: 10.1016/j.gie.2017.08.013.
29 Soetikno R, **Ishii N,** Kolb JM, Hammad H, Kaltenbach T. The Role of Endoscopic Hemostasis Therapy in Acute Lower Gastrointestinal Hemorrhage. Gastrointest Endosc Clin N Am. 2018 Jul;28(3):391-408.

30 Matsuo T, **Ishii N.** Acute Esophageal Necrosis. N Engl J Med. 2017 Oct 5; 377(14):1378.

31 **Ishii, N,** Omata F, Fujisaki J, et al. Management of early gastric cancer with positive horizontal or indeterminable margins after endoscopic submucosal dissection: multicenter survey. Endosc Int Open 2017; 5(5): E354-E362

32 **Ishii N,** Akiyama H, Suzuki K, Fujita Y. Endoscopic Submucosal Dissection for the Complete Resection of the Rectal Remnant Mucosa in a Patient With Familial Adenomatous Polyposis. ACG Case Rep J 2016; 3(3):172-174

33 Shimamura Y, **Ishii N,** Omata F, Imamura N, Okamoto T, Ego M, Nakano K, Ikeya T, Nakamura K, Takagi K, Fukuda K, Fujita Y. Endoscopic band ligation for colonic diverticular bleeding: possibility of standardization. Endosc Int Open 2016; 4(2): E233-7.

34 Nakano K, **Ishii N,** Ikeya T, Shimamura Y, Ego M, Takagi K, Nakamura K, Fukuda K, Fujita Y. Comparison of long-term outcomes between endoscopic band ligation and endoscopic clipping for colonic diverticular hemorrhage. Endosc Int Open 2016; 3(5): E529-33

35 Shimamura Y, **Ishii N,** Ego M, Nakano K, Ikeya T, Nakamura K, Takagi K, Fukuda K, Fujita Y. Multiple Acute Infection by Anisakis: A Case Series. Intern Med 2016; 55:907-10

36 **Ishii N,** Akiyama H, Suzuki K, Fujita Y. Safety and efficacy of endoscopic submucosal dissection for non-ampullary duodenal neoplasms: a case series. ACG Case Rep J 2015; 2: 146-149.

37 **Ishii N,** Fujita Y. Endoscopic band ligation for treatment of a colonic polyp extending into the colonic diverticulum. ACG Case Rep J 2015; 2: 81-82.

38 **Ishii N**, Fujita Y. Colonic Diverticulitis After Endoscopic Band Ligation Performed for Colonic Diverticular Hemorrhage. ACG Case Rep J 2015; 2(4): 218-20.

39 Ikeya T, **Ishii N,** Nakano K, Omata F, Shimamura Y, Ego M, Takagi K, Nakamura K, Fukuda K, Fujita Y. Risk factors of early rebleeding after endoscopic band ligation for colonic diverticular hemorrhage. Endosc Int Open 2015; 3(5): E523-8.

40 Ikeya T, **Ishii N,** Shimamura Y, Nakano K, Ego M, Nakamura K, Takagi K, Fukuda K, Fujita Y. Endoscopic band ligation for bleeding lesions in the small bowel. World J Gastrointest Endosc. 2014 Oct 16;6(10):488-92.

41 Shimamura Y, **Ishii N,** Nakano K, Ikeya T, Nakamura K, Takagi K, Fukuda K, Suzuki K, Fujita Y. Repeat endoscopic submucosal dissection for recurrent gastric cancers after endoscopic submucosal dissection. World J Gastrointest Endosc. 2013 Dec 16;5(12):600-4.

42 **Ishii N,** Akiyama H, Fujita Y. Endoscopic Submucosal Dissection for Squamous Cell Carcinoma of the Esophagus: Tips and Tricks from the Expert. VJGI endoscopy 2013; 1: 46-47.

43 **Ishii N,** Okada S, Fujita Y. Endoscopic Diagnosis and Treatment of Colorectal Carcinoids. VJGI endoscopy 2013; 1: 326-327.

44 **Ishii N,** Hirata N, Omata F, Itoh T, Uemura M, Matsuda M, Suzuki S, Iizuka Y, Fukuda K, Fujita Y. Location in the ascending colon is a predictor of refractory colonic diverticular hemorrhage after endoscopic clipping. Gastrointest Endosc 2012; 76: 1175-1181

45 **Ishii N,** Setoyama T, Deshpande GA, Omata F, Matsuda M, Suzuki S, Uemura M, Iizuka Y, Fukuda K, Suzuki K, Fujita Y. Endoscopic band ligation for colonic diverticular hemorrhage. Gastrointest Endosc 2012; 75: 382-387

46 Suzuki S, **Ishii N,** Uemura M, Deshpande GA, Matsuda M, Iizuka Y, Fukuda K, Suzuki K, Fujita Y. Endoscopic submucosal dissection (ESD) for gastrointestinal carcinoid tumors. Surg Endosc. 2012 Mar;26(3):759-63.

47 **Ishii N,** Furukawa K, Itoh T, Fujita Y. Primary gastric tuberculosis presenting as non-healing ulcer and mimicking Crohn's disease. Intern Med 2011; 50: 439-442

48 **Ishii N,** Itoh T, Iizuka Y, Setoyama T, Matsuda M, Suzuki S, Uemura M, Fukuda K, Fujita Y. Endoscopic band ligation for colonic diverticular rebleeding after endoscopic clipping. Dig Endosc 2011; 23: 211

49 **Ishii N,** Koyu S, Yoshiyuki F. Salvage endoscopic submucosal dissection for recurrent esophageal squamous-cell carcinoma after definitive chemoradiotherapy. Clin J Gastroenterol 2011; 4: 85-88

50 Setoyama T, **Ishii N,** Fujita Y. Enodoscopic band ligation (EBL) is superior to endoscopic clipping for the treatment of colonic diverticular hemorrhage. Surg Endosc. 2011 Nov;25(11):3574-8.

51 Suzuki S, **Ishii N,** Matsuda M, Setoyama T, Uemura M, Iizuka Y, Fukuda K, Fujita Y. Endoscopic band ligation with double-balloon enteroscopy for treatment of jejuna diverticular bleeding. Dig Endosc 2011; 23: 267

52 **Ishii N,** Itoh T, Uemura M, Maruyama M, Horiki N, Setoyama T, Matsuda M, Suzuki S, Iizuka Y, Fukuda K, Fujita Y. Endoscopic band ligation with a water-jet scope for the treatment of colonic diverticular hemorrhage. Digestive Endoscopy 2010; 232-235

53 **Ishii N,** Horiki N, Itoh T, Uemura M, Maruyama M, Suzuki S, Uchida S, Izuka Y, Fukuda K, Fujita Y. Endoscopic submucosal dissection with a combination of small-caliber-tip transparent hood and flex knife is a safe and effective treatment for superficial esophageal neoplasias. Surgical Endoscopy 2010; 24: 335-342

54 **Ishii N,** Horiki N, Itoh T, Maruyama M, Matsuda M, Setoyama T, Suzuki S, Uchida S, Uemura M, Iizuka Y, Fukuda K, Suzuki K, Fujita Y. Endoscopic submucosal dissection and preoperative assessment with endoscopic ultrasonography for the treatment of rectal carcinoid tumors. Surgical Endoscopy 2010; 24: 1413-1419

55 **Ishii N,** Itoh T, Horiki N, Matsuda M, Setoyama T, Suzuki S, Uemura M, Iizuka Y, Fukuda K, Suzuki K, Fujita Y. Endoscopic submucosal dissection with a combination of small-caliber-tip transparent hood and flex knife for large superficial colorectal neoplasias including ileocecal lesions. Surgical Endoscopy 2010; 24: 1941-1947

56 **Ishii N,** Uchida S, Itoh T, Horiki N, Matsuda M, Setoyama T, Suzuki S, Uemura M, Iizuka Y, Fukuda K, Suzuki K, Fujita Y. Endoscopic submucosal dissection with a combination of small-

caliber-tip transparent hood and flex knife for superficial esophageal neoplasia. Is it safe for elderly patients? Surgical Endoscopy 2010; 24: 2110-2119

57 **Ishii N,** Uemura M, Itoh T, Horiki N, Setoyama T, Matsuda M, Suzuki S, Iizuka Y, Fukuda K, Fujita Y. Endoscopic band ligation for the treatment of bleeding colonic and ileal diverticula. Endoscopy 2010; 42: 82-83

58 **Ishii N,** Takeshi S, Michitaka M, Shoko S, Masayo U, Yusuke I, Katsuyuki F, Koyu S, Yoshiyuki F. Superficial tumors involving terminal ileum treated by endoscopic submucosal dissection. Clin J Gastroenterol 2010; 3: 226-229

59 Uchida S, **Ishii N,** Suzuki S, Uemura M, Suzuki K, Fujita Y. Endoscopic resection after endoscopic hemostasis for hemorrhagic gastric cancer. Hepatogastroenterology 2010; 57: 1330-1332

60 **Ishii N,** Matsuda M, Setoyama T, Suzuki S, Uchida S, Uemura M, Iizuka Y, Fukuda K, Horiki N, Fujita Y. Anisakiasis and vanishing tumor of the cecum. Endoscopy. 2009; 41: 226-227

61 **Ishii N,** Matsuda M, Setoyama T, Suzuki S, Uchida S, Uemura M, Iizuka Y, Fukuda K, Horiki N, Fujita Y. Gastric adenocarcinoma with a submucosal cyst treated by endoscopic submucosal dissection (ESD). Endoscopy. 2009; 41: 267-268

62 **Ishii N,** Tsuzuki Y, Matsuzaki K, Miyazaki J, Okada Y, Hokari R, Kawaguchi A, Nagao S, Itoh K, Miura S. Endotoxin stimulates monocyte-endothelial cell interactions in mouse intestinal Peyer's patches and villus mucosa. Clin Exp Immunol 2004; 135: 226-232